

Material Safety Data Sheet Palladium(II) acetate, 47.5 Pd

MSDS# 57751

Section 1 - Chemical Product and Company Identification

MSDS Name: Palladium(II) acetate, 47.5 Pd

Catalog Numbers: AC195180000, AC195180010, AC195180020, AC195180050, AC195180100

Synonyms: Palladium Diacetate; Bisacetylpalladium; Palladous Acetate.

Acros Organics BVBA

Company Identification: Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

Acros Organics

Company Identification: (USA)

One Reagent Lane

Fair Lawn, NJ 07410

For information in the US, call:

For information in Europe, call:

Emergency Number, Europe:

Emergency Number US:

CHEMTREC Phone Number, Europe:

800-ACROS-01

+32 14 57 52 11

+32 14 57 52 99

201-796-7100

800-424-9300

CHEMTREC Phone Number, US:

703-527-3887

Section 2 - Composition, Information on Ingredients

CAS#: 3375-31-3

Chemical Name: Palladium(II) acetate

%: 100

EINECS#: 222-164-4

Hazard Symbols: XI



Risk Phrases: 41

Section 3 - Hazards Identification

EMERGENCY OVERVIEW

Warning! The toxicological properties of this material have not been fully investigated. Causes eye irritation and possible injury. May cause skin and respiratory tract irritation. Target Organs: Eyes.

Potential Health Effects

Eye: Causes eye irritation. Risk of serious damage to eyes.

Skin: May cause skin irritation. May be harmful if absorbed through the skin.

May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May be harmful if swallowed. Systemic

Ingestion: effects by ingestion include ulceration or bleeding from the stomach. Other effects include tearing, dyspnea

(labored breathing), weakness, emaciation, diarrhea, and coma.

Inhalation: May cause respiratory tract irritation. May be harmful if inhaled.

Chronic: No information found.

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower Eyes:

eyelids. Get medical aid immediately,

Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated Skin:

clothing and shoes. Wash clothing before reuse.

Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give Ingestion:

anything by mouth to an unconscious person. Get medical aid immediately.

Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If Inhalation:

breathing is difficult, give oxygen. Get medical aid.

Notes to Physician:

Section 5 - Fire Fighting Measures

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH General

(approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be Information:

generated by thermal decomposition or combustion.

Extinguishing Media:

Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Autoignition Not available

Temperature:

Flash Point: Not available

Explosion Limits: N/A
Lower:

Explosion Limits: N/A Upper:

NFPA Rating: health: 3; flammability: 0; instability: 0;

Section 6 - Accidental Release Measures

General

Use proper personal protective equipment as indicated in Section 8.

Information: Spills/Leaks:

Clean up spills immediately, observing precautions in the Protective Equipment section. Sweep up, then place into a suitable container for disposal. Avoid generating dusty conditions. Provide ventilation.

Section 7 - Handling and Storage

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate Handling: ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated Storage: area away from incompatible substances.

Section 8 - Exposure Controls, Personal Protection

4		+	 	+	+
-	Chemical Name	ACGIH	NIOSH	OSHA - Final PELs	•
1	Palladium(II) aceta	none listed	none listed	none listed	1
1	te	l	I	1	į
+				+	+

OSHA Vacated PELs: Palladium(II) acetate: None listed

Engineering Controls:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

Exposure Limits

Personal Protective Equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face Eyes:

protection regulations in 29 CFR 1910.133 or European Standard EN166.

Wear appropriate protective gloves to prevent skin exposure. Skin:

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a

Respirators: NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Physical and Chemical Properties

Physical State: Crystalline powder

Color: brown Odor: faint odor

pH: Not available

Vapor Pressure: Not available Vapor Density: Not available Evaporation Rate: Not available Viscosity: Not available

Boiling Point: Not available

Freezing/Melting Point: 205 deg C (401.00°F)

Decomposition Temperature: Not available

Solubility in water: insoluble

Specific Gravity/Density:

Molecular Formula: C4H6O4Pd Molecular Weight: 224.49

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Incompatible materials, dust generation, excess heat, strong oxidants.

Incompatibilities with Other Materials

Strong oxidizing agents, aluminum, steel.

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide.

Section 11 - Toxicological Information

Hazardous Polymerization

Has not been reported.

CAS# 3375-31-3: AJ1900000

RTECS:

LD50/LC50:

RTECS#:

CAS# 3375-31-3: Oral, mouse: LD50 = 2100 mg/kg;

Carcinogenicity:

Palladium(II) acetate - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Other:

The toxicological properties have not been fully investigated.

Section 12 - Ecological Information

Not available

Section 13 - Disposal Considerations

Dispose of in a manner consistent with federal, state, and local regulations.

Section 14 - Transport Information

US DOT

Shipping Name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O. (PALLADIUM(II) ACETATE)

Hazard Class: 8

UN Number: UN3260 Packing Group: III Canada TDG

Shipping Name: Not available

Hazard Class: UN Number: Packing Group:

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: XI

Risk Phrases:

R 41 Risk of serious damage to eyes.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 39 Wear eye/face protection.

WGK (Water Danger/Protection)

CAS# 3375-31-3: 0

Canada

CAS# 3375-31-3 is listed on Canada's NDSL List

Canadian WHMIS Classifications: D2B, E

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CAS# 3375-31-3 is not listed on Canada's Ingredient Disclosure List.

US Federal

TSCA

CAS# 3375-31-3 is listed on the TSCA Inventory.

Section 16 - Other Information MSDS Creation Date: 6/11/1998 Revision #5 Date 7/20/2009

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantibility or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.
