MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

COMPANY ADDRESS:

ALBAUGH, INC. Ankeny, IA 50021 **EMERGENCY TELEPHONE NUMBERS**: (800) 424-9300 (CHEMTREC, transportation and spills)

PRODUCT NAME CHEMICAL NAME

CHEMICAL FAMILY

PRODUCT CODE

: MILO-PRO

: 2-chloro-4,6-bis(isopropylamino)-s-triazine : triazine herbicide : EPA Reg. No. 42750-148

SECTION 2 - COMPOSITION, INFORMATION OF INGREDIENTS

COMPONENT	PERCENTAGE	CAS NUMBER	OSHA PEL	ACIGH TLV
Propazine	43.0	139-40-2	5 mg/m ³	5 mg/m ³
Ethylene glycol	4.0	107-21-1	5 mg/m ³	100 mg/m ³
Inert Ingredients	53.0	n/a	n/a	n/a

SECTION 3 - HAZARDS IDENTIFICATION SUMMARY

(As defined by OSHA Hazard Communication Standard, 29 CFR 1910.1200)

HEALTH HAZARDS: Harmful if swallowed, inhaled or absorbed through skin. Moderate eye irritant. **PHYSICAL HAZARDS:** May release toxic fumes if burned.

ENVIRONMENTAL HAZARDS: Potential groundwater contaminant in sandy soil types.

SECTION 4 - FIRST AID MEASURES

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Hold eye open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

NOTE TO PHYSICIAN: No specific antidote. If ingested, induce emesis or lavage stomach. The use of an aqueous slurry of activated charcoal may be considered.

SECTION 5 - FIRE FIGHTING MEASURES

FLASH POINT (method): Will not flash

FLAMMABLE LIMITS: Unknown.

FIRE AND EXPLOSION HAZARD: May decompose in fire releasing irritating and toxic gases.

EXTINGUISHING MEDIA: Use foam, dry chemical, carbon dioxide, or water spray when fighting fires involving this material.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Clean up spills immediately, observing precautions in Section 8 of this document. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

SMALL SPILL: Absorb small spills on sand, vermiculite or other inert absorbent. Place contaminated material in appropriate container for disposal.

LARGE SPILL: Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify, and scrape up for disposal. After removal, scrub the area with detergent and water and neutralize with dilute alkaline solutions of soda ash, or lime. Do not allow spill or clean up water to enter waterways.

Wear appropriate personal protection equipment. (See Section 8 Exposure Controls, Personal Protection.)

SECTION 7 - HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN!

HANDLING: Use only in a well-ventilated area. Wear appropriate safety equipment when handling.

STORAGE: Store in original container with lid tightly closed. Keep away from food, feed and drinking water.. Store in a well ventilated, dry place away from heat and other sources of ignition. Store above 25° F (-5 C). If frozen, warm to 80-90 F and resuspend by shaking container before using product.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS (8 hour TWA, ppm): Refer to Section 3.

ENGINEERING CONTROLS: Proper ventilation is required when handling or using this product to keep exposure to airborne contaminants below the exposure limit. Local mechanical exhaust ventilation may be required. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PERSONAL PROTECTIVE EQUIPMENT:

EYE PROTECTION - Safety goggles or full face respirator if vapors cause eye discomfort.

CLOTHING - Coveralls over a long-sleeved shirt and long pants, Chemical resistant footwear plus socks, Chemical resistant apron when mixing/loading or cleaning equipment.

GLOVES - Chemical resistant gloves such as barrier laminate, butyl rubber, nitrile rubber or viton.

RESPIRATOR - When handling in enclosed areas where exposure limits may be exceeded, use a respirator with either an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DESCRIPTION: ODOR:	Off-white color, viscous liquid No appreciable odor.
SPECIFIC GRAVITY:	1.14 – 1.20 g/ml (9.50 – 10.00 lb/gl)*
pH:	7.5 – 8.0
VAPOR PRESSURE:	Unknown
WATER SOLUBILITY:	Dispersible
*Listed density is an approximate y	alue and does not necessarily represent that of a specific batch

'Listed density is an approximate value and does not necessarily represent that of a specific batch.

SECTION 10 - STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable, however may decompose if heated. CONDITIONS TO AVOID: Avoid temperatures above (115°F, 46°C) and below 25°F (-5°C). **INCOMPATIBILITY WITH OTHER MATERIALS:** Strong acids, bases and oxidizing materials, HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen bromide, hydrogen cyanide, Oxides of nitrogen, oxides of carbon acetonitrile.

HAZARDOUS POLYMERIZATION: Product will not undergo polymerization.

SECTION 11 - TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

Oral LD₅₀ (rat) Dermal LD₅₀ (rat) Inhalation LC_{50} (rat) Eye Irritation (rabbit) Skin Irritation (rabbit) Sensitization (guinea pig) - >5,000 mg/kg

- >2,000 mg/kg (male)
- 2.0 mg/L
- Moderate
- Slight
- Potential sensitizer

CARCINOGEN STATUS:

OSHA - Not listed NTP - Not listed IARC - Not listed

MUTAGENIC DATA: No evidence of mutagenic effects during in vivo or in vitro studies.

SECTION 12 - ECOLOGICAL INFORMATION

ENVIRONMENTAL SUMMARY: Propazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Propazine has been found in groundwater. Users are advised not to apply propazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This product must not be mixed or loaded within 50 ft. of intermittent streams and rivers, natural or impounded lakes and reservoirs. This product must not be applied aerially or by ground within 66 ft. of the points where surface water runoff enters perennial or intermittent streams and rivers or within 200 ft, around natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 ft. buffer or setback from runoff entry points must be planted to crop, seeded with grass or other suitable crop.

Refer to container label for complete Environmental Precautions.

FISH TOXICITY: (Propazine technical) 96 hour LC₅₀, Rainbow trout - > 18 ppm 96 hour LC₅₀, Bluegill – 100 ppm **AVIAN TOXICITY:** (Propazine technical) Oral LC₅₀, Bobwhite quail - > 10,000 mg/KgOral LC₅₀, Mallard duck - > 10,000 mg/Kg BEES: Nontoxic.

SECTION 13 - DISPOSAL CONSIDERATIONS

Do not contaminate water, food, or feed by storage or disposal.

WASTE: Pesticide wastes are toxic. Dispose of in accordance with applicable Federal, state and local laws and regulations at an approved facility.

CONTAINER: <u>Non-refillable containers</u>: Do not reuse or refill this container. Offer for recycling, if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. <u>Refillable container</u>: Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

Refer to container label to determine if it is refillable and for complete cleaning and disposal instructions.

SECTION 14 - TRANSPORT INFORMATION

DOT SHIPPING DESCRIPTION:

Containers < 10,000 gallons –	Not regulated by DOT		
DOT HAZARD CLASS:	N/A		
UN NUMBER:	N/A		
DOT PACKING GROUP:	N/A		
DOT PRIMARY/SECONDARY LABEL:	N/A		
DOT PRIMARY/SECONDARY PLACARD:	N/A		

DOT EMERGENCY RESPONSE GUIDE #: N/A

SECTION 15 - REGULATORY INFORMATION

CERCLA REPORTABLE QUANTITY:

Ethylene glycol – RQ 5000 lbs (approx 10,000 gallons Propazine 4L)

SARA TITLE III STATUS:

311/312 Hazard Categories – 313 Toxic Chemicals –

CALIFORNIA PROP 65:

Immediate Health Ethylene glycol

Not listed

SECTION 16 - OTHER INFORMATION

	HEALTH			2		
HMIS HAZARD RATINGS	FLAMMABILITY			0		
	PHYSICAL HAZARD			1		
	4=Severe	3=Serious	2=M	oderate	1=Slight	0=Minimal

DISCLAIMER: The information presented herein is based on available data from reliable sources and is correct to the best of Albaugh's knowledge. Albaugh makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions.

REVISED DATE:October, 2012**REFERENCE:**Revised Section 4, Section 12 and Section 13 to match EPA approved label.