



# **Material Safety Data Sheet**

NFPA	HMIS	Personal Protective Equipment
220	Health Hazard   2     Fire Hazard   2	
	Reactivity 0	See Section 15.

Section 1. Chemical Product and Company Identification			Page Number: 1	
Common Name/ Trade Name	Myrcene	Catalog Number(s).	M2382	
		CAS#	123-35-3	
Manufacturer	SPECTRUM LABORATORY PRODUCTS INC.	RTECS	Not available.	
	14422 S. SAN PEDRO STREET GARDENA, CA 90248	TSCA	TSCA 8(b) inventory: Myrcene	
Commercial Name(s)	Not available.	CI#	Not available.	
Synonym	7-Methyl-3-methylene-1,6-octadiene; beta-Myrcene 3-Methylene-7-Methyl-1,6-octadiene. Stabilized with 400 ppm Tenox GT-1	IN CASE OF EMERGENCY CHEMTREC (24hr) 800-424-9300		
Chemical Name	1,6-Octadiene, 7-methyl-3-methylene-			
Chemical Family	Not available.		CALL (310) 516-8000	
Chemical Formula	C10-H16	-		
Supplier	SPECTRUM LABORATORY PRODUCTS INC. 14422 S. SAN PEDRO STREET GARDENA, CA 90248			

Section 2.Composition and Information on Ingredients						
				Exposure Limits		
Name		CAS #	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )	CEIL (mg/m <sup>3</sup> )	% by Weight
1) Myrcene		123-35-3				100
Toxicological Data on Ingredients	Ingredients         ORAL (LD50):         Acute: >5000 mg/kg [Rat].           DERMAL (LD50):         Acute: >5000 mg/kg [Rabbit].					
Section 3. Hazards Identification         Potential Acute Health Effects       Hazardous in case of skin contact (irritant), of eye contact (irritant). Slightly hazardous in case of skin contact (permeator), of ingestion, of inhalation.						
Potential Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.					

### Section 4. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.	
Skin Contact	In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.	
Serious Skin Contact	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.	
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
Serious Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.	
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.	
Serious Ingestion	Not available.	

#### Section 5. Fire and Explosion Data

Flammability of the Product	Flammable.
Auto-Ignition Temperature	Not available.
Flash Points	CLOSED CUP: 39°C (102.2°F).
Flammable Limits	Not available.
Products of Combustion	These products are carbon oxides (CO, CO2).
Fire Hazards in Presence of Various Substances	Flammable in presence of open flames and sparks, of heat.
Explosion Hazards in Presence of Various Substances	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
Fire Fighting Media and Instructions	Flammable liquid, insoluble in water. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.
Special Remarks on Fire Hazards	When heated to decomposition it emits acrid smoke and irritating fumes.
Special Remarks on Explosion Hazards	Not available.
Section 6. Accidental	Release Measures
Small Spill	Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Large Spill	Flammable liquid, insoluble in water.

Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth,
sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Prevent
entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.

#### Section 7. Handling and Storage

-	
Precautions	Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not
	ingest. Do not breathe gas/fumes/ vapor/spray. Wear suitable protective clothing. If ingested, seek medical
	advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from
	incompatibles such as oxidizing agents, acids.
Storage	Store in a segregated and approved area. Keen container in a cool, well-ventilated area. Keen container tightly

orage Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).

#### Section 8. Exposure Controls/Personal Protection

Engineering Controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.	
Personal Protection	Splash goggles. Synthetic apron. Vapor respirator. Use a vapor respirator if ventilation is inadequate, if exposure limits ae exceeded, or if irritation or other symptoms are experienced. Be sure to use an approved/certified respirator or equivalent. Gloves (impervious).	
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.	
Exposure Limits	Not available.	

#### Section 9. Physical and Chemical Properties

Physical state and appearance	Liquid. (Oily liquid.)	Odor	Pleasant. Terpene
	400.04 - /	Taste	Sweet, Citrus
Molecular Weight	136.24 g/mole	Color	Yellow.
pH (1% soln/water)	Not applicable.	Color	
Boiling Point	167°C (332.6°F)		
Melting Point	<-10°C (14°F)		
Critical Temperature	Not available.		
Specific Gravity	0.794- 0.8010 (Water = 1)		
Vapor Pressure	0.9 kPa (@ 20°C)		
Vapor Density	4.7 (Air = 1)		
Volatility	Not available.		
Odor Threshold	Not available.		
Water/Oil Dist. Coeff.	The product is more soluble in oil; log(oil/water) = 4	.2	
Ionicity (in Water)	Not available.		
<b>Dispersion Properties</b>	See solubility in water, diethyl ether.		
Solubility	Soluble in diethyl ether. Insoluble in cold water, hot water. Soluble in alcohol (ethanol), chloroform, glacial ace	ic acid, be	enzene.

Section 10. Stability and Reactivity Data			
The product is stable.			
Not available.			
Heat, ignition sources, incompatible materials			
Reactive with oxidizing agents, acids.			
Not available.			
Not available.			
Not available.			
Will not occur.			

Section 11. Toxicological Information				
Routes of Entry	Absorbed through skin. Eye contact. Inhalation. Ingestion.			
Toxicity to Animals	Acute oral toxicity (LD50): >5000 mg/kg [Rat]. Acute dermal toxicity (LD50): >5000 mg/kg [Rabbit].			
Chronic Effects on Humans	Not available.			
Other Toxic Effects on Humans	Hazardous in case of skin contact (irritant). Slightly hazardous in case of skin contact (permeator), of ingestion, of inhalation.			
Special Remarks on Toxicity to Animals	Not available.			
Special Remarks on Chronic Effects on Humans	May cause adverse reproductive effects and birth defects (teratogenic) based on animal test data			
Special Remarks on other Toxic Effects on Humans	Acute Potential Health Effects: Skin: Causes moderate skin irritation. It can be absorbed through the skin. Eyes: Causes moderate irritation. Inhalation: Inhalation of vapor or mist may cause respiratory tract irritation. Inhalation of a high concentration of vapors may cause dizziness or suffication. Ingestion: May cause digestive/gastrointestinal tract irritation or disturbances.			

Section 12.	Ecological	Information
-------------	------------	-------------

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The product itself and its products of degradation are not toxic.
Special Remarks on the Products of Biodegradation	Not available.

#### Section 13. Disposal Considerations

Waste Disposal

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## Section 14. Transport Information

DOT Classification	CLASS 3: Flammable liquid.
Identification	: Terpene Hydrocarbon, n.os (Myrcene) UNNA: 2318 PG: III
Special Provisions for Transport	Not available.
DOT (Pictograms)	PRAMAME TROP

Section 15. Other Regulatory Information and Pictograms							
Federal and State Regulations	TSCA 8(b) inventory: Myrcene						
Canforma Proposition 65 Warnings	California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: No products were found. California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: No products were found.						
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances (EINECS No. 204-622-5). Canada: Listed on Canadian Domestic Substance List (DSL). China: Listed on National Inventory. Japan: Listed on National Inventory (ENCS). Korea: Listed on National Inventory (KECI). Philippines: Listed on National Inventory (PICCS). Australia: Listed on AICS.						
Other Classifications	WHMIS (Canada)	The classification of this product has not been validateed yet by the Serivce du repertoire toxicologique. However, it may be classified as: CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F). CLASS D-2B: Material causing other toxic effects (TOXIC).					
	DSCL (EEC)	R10- Flammable. R36/38- Irritating to eyes and skin.	<ul> <li>S9- Keep container in a well-ventilated place.</li> <li>S16- Keep away from sources of ignition - No smoking.</li> <li>S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>S33- Take precautionary measures against static discharges.</li> <li>S37- Wear suitable gloves.</li> </ul>				
HMIS (U.S.A.)	Health Hazard Fire Hazard Reactivity Personal Protection	2 National Fire Protection 2 Association (U.S.A.) 0 (j)	Health Flammability Reactivity Specific hazard				

Myrcene				Page Number: 6
WHMIS (Canada) (Pictograms)				
DSCL (Europe) (Pictograms)	×			
TDG (Canada) (Pictograms)				
ADR (Europe) (Pictograms)				
Protective Equipm	ent	Gloves.		
		Lab coat.		
		Wear appropriate res ventilation is inadequa Splash goggles.	pirator when te.	
Section 16. Othe	er Information			
MSDS Code	M0070			
References Other Special	Not available.			
Considerations	Not available.			
Validated by Sonia Owen on 8/11/2006.			Verified by Sonia Owen. Printed 9/12/2006.	
CALL (310) 516-8000				
<u>Notice to Reader</u>				
Continued on	Next Page			

#### Myrcene

#### Page Number: 7

All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, Spectrum Quality Products, Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.